

Note:

For brevity, only those definitions which are subject to changes proposed in the s42A report are illustrated below.

This section updated through Plan Changes 23-27 is subject to changes proposed through Stage 4 of the District Plan Review.

Changes proposed through Stage 4 as notified are shown using ~~strikethrough~~ and underlining, and changes proposed in s42A reports are shown using ~~double strikethrough~~ and double underlining.

Changes recommended in the Response to Minute 6 and recommended in Reply Reports are shown by way of ~~red~~ strikeout and red underlining. Changes previously recommended to be deleted but now recommended to be reinstated are shown in red without underlining. Changes previously recommended to be added but now recommended not to be included are shown in ~~red~~ strikethrough with black underlining.

Changes are shaded as follows to indicate which variation proposes the deletion or amendment:

PC28

Definitions

...

<p><u>critical infrastructure</u> <u>(in relation to Natural Hazards Chapter only)</u> <u>(PC28)</u></p>	<p>Those necessary facilities, services, and installations and infrastructure which are critical or of significance to either New Zealand, Canterbury, or Mackenzie, which if interrupted, would have a significant effect on communities within the District, Canterbury region or wider populations and which would¹ require immediate reinstatement. Critical infrastructure includes:</p> <ul style="list-style-type: none">a. <u>Strategic transport network</u>b. <u>Telecommunication and Radio communications networks and telecommunication networks (excluding those which are regulated by the NESTF)</u>²³c. <u>National, regional and local electricity generation activities</u>d. <u>The National Grid and electricity distribution networks including emergency electricity supply facilities</u>e. <u>Public and community wastewater collection, treatment and disposal networks</u>f. <u>Public and community land drainage infrastructure</u>g. <u>Public and community stormwater infrastructure</u>h. <u>Public and community potable water and fire fighting supply systems</u>i. <u>Public and community-scale irrigation and stockwater infrastructure</u>
--	---

¹ Meridian (39.02)

² The Telcos (35.01)

³ CRC (FS08.07)

	<p>j. <u>Gas storage and distribution infrastructure</u></p> <p>k. <u>Bulk fuel supply infrastructure including terminals, and pipelines</u></p> <p>l. <u>Permanent New Zealand Defence Force facilities buildings and structures (excluding temporary buildings and structures used for temporary military training activities)</u>⁴</p> <p>m. <u>Emergency Services facilities</u></p> <p>n. <u>Healthcare facilities</u></p> <p>o. <u>Airports</u></p>
<p>...</p>	
<u>high flood hazard area</u> (PC28)	<p><u>means areas where the product of water depth (metres) multiplied by velocity (metres per second) equals or exceeds 1, or where depths are greater than 1 metre, in areas subject to inundation during a an event of 500 year ARI flood event.</u>⁵</p>
<p>...</p>	
<u>soft engineering natural hazard mitigation works</u>	<p><u>means the use of natural materials, features and processes, including vegetation to stabilise waterway banks and reduce erosion and inundation. Soft engineering techniques include planting, bank re-profiling and the restoration of natural features such as wetlands and floodplains.</u>⁶</p>

Abbreviations

Abbreviations	Full terms
<u>ARI</u>	<u>Annual Average Recurrence Interval</u> ⁷

...

⁴ NZDF (65.01)

⁵ CRC (50.04)

⁶ CRC (50.28)

⁷ CRC (50.07)