

## Takapō / Lake Tekapo Precinct

### Introduction

The Takapō / Lake Tekapo Precinct applies to the residential, commercial and mixed use, and general industrial areas within the Takapō / Lake Tekapo township. This area is considered to have special character, derived from its landscape setting and the nature of built form which has been developed in the town over time, that provides it with a distinctive identity. The controls applicable within the precinct are intended to ensure that development within this area is sympathetic to the character of the town and the surrounding landscape.

For activities within this Precinct, the provisions of both the underlying zone and this Precinct apply. If the zone chapter and precinct chapter contain a rule or standard managing the same thing (e.g. a buildings and structures rule or a height standard), the applicable rule or standard in this Precinct applies and the equivalent rule in the underlying zone does not apply.

### Objectives and Policies

Objectives	
PREC1-O1	<b>Precinct Purpose</b>
Development within Takapō / Lake Tekapo maintains the distinctive character and identity of the Township and is complementary to the surrounding landscape.	
Policies	
PREC1-P1	<b>Adverse Effects</b>
Control the scale, appearance and location of buildings to ensure that: <ol style="list-style-type: none"> <li>1. the built form character of the Township is maintained and enhanced;</li> <li>2. development is integrated with the landscape setting, including the topography, landform, and views to and from the area;</li> <li>3. key viewshafts within and through land on the south side of State Highway 8 are protected, and accessibility to the Domain and lake are maintained; and</li> <li>4. views to the lake from properties on the north side of State Highway 8 are maintained.</li> </ol>	

### Rules



PREC1-R1	<b>Buildings and Structures</b>	
PREC1 within any Residential Zone, Commercial and Mixed Use Zone or General Industrial Zone	<b>Activity Status: PER</b>  <b>Where the activity complies with the following standards:</b> PREC1-S1 Materials and Colours PREC1-S2 Roofs PREC1-S3 Building Scale PREC1-S4 Height PREC1-S5 No Build Areas PREC1-S6 Garages PREC1-S7 Fencing PREC1-S8 Retaining Walls and Level Changes and any standards in the relevant zone	<b>Activity status when compliance with standard(s) is not achieved:</b> Refer to relevant standard(s).




	chapter	
<b>PREC1 within Town Centre Zone</b>	<p><b>Activity Status: RDIS</b></p> <p><b>Where the activity complies with the following standards:</b>  PREC1-S1 Materials and Colours  PREC1-S2 Roofs  PREC1-S3 Building Scale  PREC1-S4 Height  TCZ-S1 Height  TCZ-S2 Height in Relation to Boundary  TCZ-S3 Setbacks  TCZ-S4 Verandahs  TCZ-S5 Outdoor Storage  TCZ-S6 Landscaping  TCZ-S7 Street Frontages</p> <p><b>Matters of discretion are restricted to:</b></p> <ol style="list-style-type: none"> <li>a. The consistency of the proposal with the Takapō / Lake Tekapo Character Design Guide contained in APP2.</li> </ol>	<b>Activity status when compliance with standard(s) is not achieved:</b> Refer to relevant standard(s).



## Standards

<b>PREC1-S1</b>	<b>Materials and Colours</b>	<b>Activity Status where compliance not achieved:</b>
<b>PREC1</b>	<ol style="list-style-type: none"> <li>1. The exterior cladding of any building shall only comprise the following materials, with a minimum of at least two of these materials: <ol style="list-style-type: none"> <li>a. natural unpainted or stained weatherboards and similar cladding materials (such as timber and board and batten);</li> <li>b. painted plaster style materials;</li> <li>c. alluvial stone (moraine and river stone);</li> <li>d. painted or weathering steel (including Colorsteel and Cortern); or</li> <li>e. cob (adobe blocks or rammed earth).</li> </ol> </li> <li>2. Roof materials shall not include tiles.</li> <li>3. All painted cladding shall be coloured in the range of browns, greens, greys or black, with a light reflectivity value between 5% and</li> </ol>	<p><b>RDIS</b></p> <p><b>Matters of discretion are restricted to:</b></p> <ol style="list-style-type: none"> <li>a. The consistency of the proposal with the Takapō / Lake Tekapo Character Design Guide contained in APP2.</li> </ol>

	<p>35%.</p> <p>4. Except that 1.-3. above shall only apply in the Large Format Retail Zone and General Industrial Zone to building facades which front a road or other public space.</p>	
<b>PREC1-S2</b>	<b>Roofs</b>	<b>Activity Status where compliance not achieved:</b>
<b>PREC1 – within any Residential Zone or any Commercial and Mixed Use Zone</b>	<p>1. Primary roof forms shall have:</p> <ol style="list-style-type: none"> <li>a. a flat or monopitch roof angle up to 20 degrees; or</li> <li>b. a gable of between 20 – 65 degrees.</li> </ol> <p>2. Secondary roof forms (e.g. linking structures, lean-tos, verandahs, accessory buildings and garages) shall be the equivalent or lower in pitch and not project above the primary roof form.</p>	<p><b>RDIS</b></p> <p><b>Matters of discretion are restricted to:</b></p> <ol style="list-style-type: none"> <li>a. The consistency of the proposal with the Takapō / Lake Tekapo Character Design Guide contained in APP2.</li> </ol>
<b>PREC1-S3</b>	<b>Building Scale</b>	<b>Activity Status where compliance not achieved:</b>
<b>PREC1 within any Residential Zone or Neighbourhood Centre Zone</b>	<p>1. The wall of any building shall not be greater than:</p> <ol style="list-style-type: none"> <li>a. 20m in total length; and</li> <li>b. 14m, without a recess in the façade and roofline of at least 1m in depth and 2m in length.</li> </ol> <p>2. There shall be a minimum separation distance between any buildings on a site of no less than 2m.</p>	<p><b>RDIS</b></p> <p><b>Matters of discretion are restricted to:</b></p> <ol style="list-style-type: none"> <li>a. The consistency of the proposal with the Takapō / Lake Tekapo Character Design Guide contained in APP2.</li> </ol>
<b>PREC1 within Town Centre Zone</b>	<p>3. The wall of any building shall not be greater than:</p> <ol style="list-style-type: none"> <li>a. 40m in total length; and</li> <li>b. 18m, without a recess in the façade and roofline of at least 1m in depth and 2m in length.</li> </ol> <p>4. There shall be a minimum separation distance between any buildings on a site of no less than 4m.</p>	
<b>PREC1 within Large Format Retail Zone or General Industrial Zone</b>	<p>5. The wall of any building shall not be greater than 18m, without a recess in the façade and roofline of at least 1m in depth and 2m in length, where the wall fronts a road or other public space.</p>	
<b>PREC1-S4</b>	<b>Height</b>	<b>Activity Status where compliance not achieved:</b>

<p><b>PREC1 within Town Centre Zone</b></p>	<p>1. The maximum height of any building or structure shall not exceed 7.5m above ground level, except a gable roof may exceed the maximum height by no more than 1m.</p> 	<p><b>RDIS</b></p> <p><b>Matters of discretion are restricted to:</b></p> <ul style="list-style-type: none"> <li>a. The consistency of the proposal with the Takapō / Lake Tekapo Character Design Guide contained in APP2.</li> <li>b. The impact of the height on views to the lake.</li> <li>c. The location, design, scale and appearance of the building or structure.</li> <li>d. Adverse effects on the streetscape.</li> <li>e. Adverse effects on the amenity values of neighbours on sites containing residential or other sensitive activities, including visual dominance, shading and effects on privacy.</li> <li>f. The extent to which the increase in height is necessary due to the functional and operational requirements of an activity.</li> </ul>
<p><b>PREC1 within the Medium Density Residential Zone (outside a Specific Control Area) and Neighbourhood Centre Zone</b></p>	<p>2. The maximum height of any building or structure shall be 7.5m above ground level except a gable roof may exceed the maximum height by no more than 1m.</p> <p>3. All floors shall have a minimum ceiling height of 2.7m.</p> 	
<p><b>Specific Control Area 6</b></p>	<p>4. The maximum height of any building or structure shall be 5m above ground level.</p>	
<p><b>Specific Control Area 7</b></p>	<p>5. The maximum height of any building or structure shall be 12m above ground level, or the height of the nearest point of the terrace top, whichever is the lesser.</p>	
<p><b>PREC1-S5</b></p>	<p><b>No Build Areas</b></p>	

<p><b>PREC1</b></p>	<p>1. No building or structure shall be located within an identified No Build Area.</p>	<p><b>NC</b></p>
<p><b>PREC1-S6</b></p>	<p><b>Garages</b></p>	<p><b>Activity Status where compliance not achieved:</b></p>
<p><b>PREC1 within any Residential Zone</b></p>	<p>1. Any garage attached to the primary building shall be set back at least 0.5m from the façade of the building fronting a road or public space.                  2. Any detached garage shall be set back at least 2m from any residential unit.</p> <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p><b>GARAGE ATTACHED TO THE PRIMARY BUILDING</b></p>  <p>0.5m minimum set back from the primary building façade</p> </div> <div style="text-align: center;"> <p><b>DETACHED GARAGE TO THE PRIMARY BUILDING</b></p>  <p>2m minimum set back from any residential unit</p> </div> </div>	<p><b>RDIS</b></p> <p><b>Matters of discretion are restricted to:</b></p> <p>a. The consistency of the proposal with the Takapō / Lake Tekapo Character Design Guide contained in APP2.</p>
<p><b>PREC1-S7</b></p>	<p><b>Fencing</b></p>	<p><b>Activity Status where compliance not achieved:</b></p>
<p><b>PREC1 within any Low Density Residential Zone or Neighbourhood Centre Zone</b></p>	<p>1. No fence along the road frontage, or other public space, shall be located closer to the road or public space than the primary building façade.</p> 	<p><b>RDIS</b></p> <p><b>Matters of discretion are restricted to:</b></p> <p>a. The consistency of the proposal with the Takapō / Lake Tekapo Character Design Guide contained in APP2.</p>
<p><b>PREC1-S8</b></p>	<p><b>Retaining Walls and Level Changes</b></p>	<p><b>Activity Status where compliance not achieved:</b></p>

<p><b>PREC1 within any Residential Zone or Neighbourhood Centre Zone</b></p>	<p>1. Any retaining wall fronting a road or public space shall be a maximum of 1m in height and be of natural materials or cladding (e.g. timber, moraine / river stone and steel) with a minimum terraced step or embankment of 500mm between retaining walls.</p> <p>2. Any embankment or bund shall be no steeper than 1:3 (33%) with bunding no higher than 1.2m above road level at the road boundary.</p> <p><b>RETAINING WALL</b></p>  <p>The diagram shows a side view of a retaining wall. A car is on the left. A vertical double-headed arrow indicates a height of 1m maximum height. A horizontal double-headed arrow between two walls indicates a 500mm minimum space between. The walls are labeled 'Wall'.</p> <p><b>EMBANKMENT OR BUND</b></p>  <p>The diagram shows a side view of an embankment. A car is on the left. A vertical double-headed arrow indicates a height of 1.2m maximum height. A diagonal double-headed arrow indicates a 1:3 (33%) maximum steepness. The base is labeled 'Road level'.</p>	<p><b>RDIS</b></p> <p><b>Matters of discretion are restricted to:</b></p> <ul style="list-style-type: none"><li>a. The consistency of the proposal with the Takapō / Lake Tekapo Character Design Guide contained in APP2.</li></ul>
--	--	--